Division of Health Service Regulation

| STATEMENT OF DEFICIENCIES | | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: | | (X2) MULTIPLE CONSTRUCTION A. BUILDING: | | (X3) | (X3) DATE SURVEY COMPLETED | |
|--|---|--|--|---|----------------------|----------------|-------------------------------|--|
| AND PLAN OF CORRECTION | | | | | | | | |
| | | | | | | | С | |
| | | NH0577 | | B. WING | | | 01/20/2023 | |
| NAME OF PROVIDER OR SUPPLIER STREET ADDRESS, CITY, STATE, ZIP CODE | | | | | | | | |
| 400 PELT DRIVE | | | | | | | | |
| WOODLANDS NURSING & REHABILITATION CENTER FAYETTEVILLE, NC 28301 | | | | | | | | |
| | | | | | | | | |
| (X4) ID PREFIX | | Y MUST BE PRECEDED BY FULL | | ID PREFIX | (EACH CORRECTIVE ACT | TION SHOULD BE | (X5) COMPLETE | |
| TAG | | | | TAG | CROSS-REFERENCED TO | | DATE | |
| | | | | | DEFICIEN | | | |
| D 000 | D 000 Initial Comments | | | D 000 | | | | |
| | | | | | | | | |
| | An onsite complaint investigation was conducted | | | | | | | |
| | from 1/19/23 to 1/20/23. | | | | | | | |
| | One of one complaint allegation was not | | | | | | | |
| | substantiated. | | | | | | | |
| | Event 9Q2T11 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Division of Health Service Regulation
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE TITLE

Electronically Signed